JOURNAL OF COATINGS TECHNOLOGY

Annual Index

1977

Volume 49
Numbers 624-635
January thru December, 1977

Journal of Coatings Technology
1977 Annual Index

Keyword Subject Index

Prepared by Technical Systems
Information Committee

Application and Finishing

Critical relative humidity ..... Nov., 38
Drying rate ..... Nov., 38
Electrodeposition ..... Nov., 85
Film curing and drying ..... Dec., 71
Film formation ..... Dec., 71
Radiation curing, ultraviolet ..... Mar., 25
Solvent evaporation ..... Nov., 38
Transfer efficiency ..... Feb., 48
Waste load ..... Feb., 48

Chemical Materials and Processes

Acetoacetic ester ..... May, 48
Agricultural products as sources ..... Dec., 88
Ammoniacal zinc salts ..... July, 39; Dec., 79
Ammonium fluoborate ..... Apr., 38
Ammonium oxalate ..... Apr., 38
Diethyl malonate blocked aliphatic isocyanates .. Nov., 77
Diiodomethyl p-tolyl sulfone ..... July, 51
4,4'-dinitrosulfanilide ..... Jan., 49
Di(phenyl mercury) dodecenyl succinate ..... July, 51
Free radical polymerization initiators ..... Nov., 61
Hexamethoxy methyl melamine ..... Feb., 53
Hydroxyethyl cellulose ..... June, 45
Hydroxypropyl methyl cellulose ..... June, 45
Isocyanate-oxazolidine ..... Aug., 65
Maleinized oils ..... July, 42
2-n-octyl-4-isothiazolin-3-one ..... July, 51
Organotin compounds ..... Jan., 54; Mar., 29
Ozonized monoolein ..... May, 48
Persulfate / sulfate anions ..... Nov., 61
Potassium fluoborate ..... Apr., 38
Silica flatting agents ..... May, 39
2,3,5-trichloro-4-propyl sulfonyl pyridine ..... July, 51
Triethyl amine ..... June, 59
Vinyl isocyanate ..... Sept., 82
Zinc borate ..... Apr., 38

Coating-Related Products

Sealants ..... Mar., 44
Wood preservatives ..... July, 39; Dec., 79

Coatings

Ablative ..... Apr., 38
Antifouling ..... Mar., 29; May, 51
Architectural, exterior ..... June, 31; Oct., 80
Automotive ..... Apr., 44; June, 38; Oct., 27; Oct., 37; Oct., 45
Biocidal (fungicidal) ..... Jan., 54; Mar., 38; July, 51
Corrosion-resistant ..... May, 51; Sept., 62; Sept., 69; Sept., 76; Oct., 55
Electrodeposited ..... Nov., 85
Electrostatic ..... July, 39
Flat ..... May, 39
Heat-resistant ..... Oct., 62
Industrial ..... Feb., 48; Oct., 27; Oct., 37; Nov., 38
Industrial maintenance ..... Sept., 69
Intumescent ..... Jan., 49; Apr., 38
Thermal insulating ..... Jan., 49; Apr., 38
Wood ..... July, 39; Aug., 30; Dec., 79

Acrylic ..... Mar., 25; Nov., 85
Acrylic - epoxy ..... Sept., 76
Acrylic latex ..... Sept., 69
Alkyd - melamine ..... June, 59
Alkyd short oil ..... June, 59
Cellulosic ..... Mar., 36
Coal tar - epoxy ..... Sept., 62
Epoxy ..... Sept., 57; Nov., 85
Epoxy ester ..... Feb., 58
Epoxy, water-based ..... May, 61
High solids ..... Feb., 53; Aug., 46
Isocyanate - oxazolidine ..... Aug., 65
Latex ..... Feb., 37; July, 51
Oil-based ..... May, 48
Polyphenylene sulfide ..... Apr., 33
Thermosetting ..... Feb., 53
Two-compartment ..... Aug., 65; Nov., 77
Urethane ..... Aug., 65; Nov., 77
Vinyl isocyanate copolymer ..... Sept., 82
Water-based ..... Aug., 46; Aug., 60; Sept., 76; Nov., 38

Coatings Industry

Business aspects ..... May, 66; Aug., 74
Coatings engineering ..... Jan., 37
Color styling and trends ..... Apr., 59; June, 38
Future predictions ..... Dec., 49
Lobbying activities ..... May, 21
Product liability ..... Apr., 56
Raw materials from agricultural products ..... Dec., 88
Research and development ..... Jan., 37

Exposures and Weathering

Accelerated, Dewcycle ..... Oct., 37
Accelerated, Emmaqua ..... Apr., 44; Oct., 27
Accelerated, Environmental chamber ..... July, 51
Accelerated, Humidity cabinet ..... Oct., 55
Accelerated, Kesternich sulfur dioxide ..... Oct., 55
Accelerated, QUV chamber ..... Sept., 76; Oct., 45
Accelerated, salt fog ..... Sept., 76; Oct., 55
Accelerated, Weatherometer ..... Jan., 57; Feb., 25; June 50; Dec., 79
Exterior ..... Jan., 54; Feb., 25; Apr., 44; June, 31; Oct., 45; Oct., 55; Oct., 80; Dec., 79
Exterior weathering rack, sealants ..... Mar., 44
Interior, industrial ..... Sept., 76
Ultraviolet radiation ..... Oct., 27; Oct., 37; Oct., 45

Film Degradation/Deterioration and Tests

Corrosion ..... Sept., 69; Oct., 55
Corrosion, underwater ..... Sept., 62
Microbiological ..... Jan., 54; Mar., 38; July, 51
Microbiological, marine fouling ..... Mar., 29; May, 51
Microbiological enzyme assay ..... Mar., 38
Polymer film failure ..... Oct., 62; Nov., 50
Thermo-oxidative aging ..... Oct., 62

Film Properties (Dry Film) and Tests

Adhesion, chalk ..... Feb., 37
Appearance ..... Jan., 57
Chalking ..... Feb., 25
Color ..... Feb., 25; Apr., 44; May, 48; June, 31; Sept., 87; Oct., 27; Oct., 37; Oct., 45
Electrical conductivity ..... July, 39
Electrical resistance ..... Sept., 62
Fire tests ..... Jan., 49; Apr., 38
Flatting ..... May, 39
Gloss ..... Feb., 25; Apr., 44; May, 39; Sept., 87; Oct., 27; Oct., 37; Oct., 45
Hiding power ..... July, 54
Wood staining ..... Dec., 79
Yellowing ..... May, 48

Film Properties (Free Film) and Tests

Abrasion resistance ..... Nov., 50
Electrical resistance ..... Sept., 62
Film morphology ..... Dec., 71
Free film preparation ..... June, 50
Ionic transport ..... Sept., 62
Membrane potential ..... Sept., 62
Tensile strength ..... June, 50; Nov., 50
Water absorption ..... June, 50
Water vapor permeability ..... June, 50

Government Laws, Regulations, Specifications and Standards

DOT, flash points ..... Apr., 52
Federal Hazardous Substances Act ... Apr., 56; Sept., 92
Impact on coatings industry ..... May, 21; May, 70
Labeling ..... Apr., 56; Sept., 92
Naval shipbottom antifouling coatings ..... May, 51
NPCA labeling guide ..... Apr., 56

Instrumental Analysis

Carbon-13 nuclear magnetic resonance spectroscopy ..... July, 42; Sept., 57
Differential thermal analysis ..... Jan., 49; Apr., 38
Infrared spectroscopy ..... July, 42
Proton nuclear magnetic resonance spectroscopy . July, 42
Scanning electron microscopy Jan., 57; Nov., 50; Dec., 71
Spectrophotometry ..... Feb., 25
Thin layer chromatography ..... Mar., 25
Torsion braid analysis ..... Oct., 62
Transmission electron microscopy ..... Dec., 71
Ultraviolet spectroscopy ..... Mar., 25; July, 42

Manufacturing Processes, Methods and Equipment

Dispersing equipment ..... Aug., 74
Grinding equipment ..... Aug., 74

Materials — Properties and Tests

Flash point ..... Apr., 52; Apr., 56
Rheological properties ..... Dec., 59

Oils

Linseed ..... May, 48
Linseed, maleinized ..... July, 42

Packaging, Storage, and Transport

Flammable/combustible liquids ..... Apr., 52
Flash points, liquids ..... Apr., 52

Paint Additives

Biologically active agents ..... Jan., 54; Mar., 29; Mar., 38; July 51
Endothermic fillers ..... Apr., 38
Flatting agents ..... May, 39
Intumescing agents ..... Jan., 49; Apr., 38
Stabilizers ..... June, 59
Surface active agents ..... Dec., 59
Ultraviolet curing initiators ..... Mar., 25
Yellowing inhibitors ..... May, 48

Pigments

Chromate, replacements ..... June, 38
Iron oxide ..... Nov., 91
Pigment Yellow 3 ..... June, 31
Pigment Yellow 24 ..... June, 31
Pigment Yellow 65 ..... June, 31
Pigment Yellow 73 ..... June, 31
Pigment Yellow 74 Type I ..... June, 31
Pigment Yellow 74 Type II ..... June, 31
Pigment Yellow 97 ..... June, 31
Titanium dioxide ..... July, 54
Titanium dioxide, rutile ..... June, 59
White ..... July; 54
Yellow, organic ..... June, 31

Color ..... Nov., 91
Color and appearance ..... June, 31
Critical pigment volume concentration (CPVC) .. Dec., 59
Hiding power ..... July, 54
Pigment agglomeration / flocculation ... June, 59; Dec., 59
Pigment dispersion ..... June, 59; Aug., 74; Dec., 59
Pigment - vehicle reaction ..... Dec., 59

Polymers and Resins

Acrylic ..... Nov., 85
Acrylic - epoxy ..... Sept., 76
Acrylic latex ..... Sept., 69
Alkyd - melamine ..... June, 59
Alkyd short oil ..... June, 59
Cellulosic ..... Mar., 36; June, 45
Coal tar - epoxy ..... Sept., 62
Epoxy ..... May, 61; Sept., 57; Nov., 85
Epoxy ester ..... Feb., 58
Epoxy latex ..... Dec., 71
Isocyanate - oxazolidine ..... Aug., 65
Poly(carborane siloxane) ..... Oct., 62
Polyesteramides ..... Jan., 57
Polyether - polyol ..... Aug., 46
Poly(phenylene oxide) ..... Oct., 62
Poly(phenylene sulfide) ..... Apr., 33
Urethanes ..... Jan., 57; Aug., 65; Nov., 50; Nov., 77
Vinyl isocyanate copolymers ..... Sept., 82
Vinyl latex ..... Nov., 61

Aging, thermo-oxidative ..... Oct., 62
Emulsion free-radical polymerization ..... Nov., 61

Heat stability ..... Oct., 62
Latex particle coalescence ..... Dec., 71
Latex particle size ..... Dec., 71
Polymer film failure ..... Nov., 50
Resin degradation, mechanical shear ..... June, 45
Resin degradation, ultrasonic irradiation ..... June, 45
Solubility ..... Mar., 36
Viscosity ..... June, 45

Solvents

Azeotropic mixtures ..... Nov., 38
Evaporation rate ..... Nov., 38
Flash points ..... Apr., 52; Apr., 56
Solubility parameters ..... Dec., 59

Substrates or Surfaces to be Coated

Wood, Eastern Canadian ..... Dec., 79
Wood, processed ..... Aug., 60

Surface Preparation

Blast cleaning, abrasive ..... Mar., 29
Mechanical cleaning, underwater ..... May, 51

Waste Disposal and Treatment

Government regulations ..... May, 70
Incineration, fluid bed ..... Mar., 29

Alphabetical Listing of Papers

A

A B C's of White Hiding Power—F.B. Stieg, July, p. 54.
Accelerated Corrosion Testing—J.A. Chess, M.R. Hastings, and A. Paolini, Jr., Oct., p. 55.
Ammoniacal Zinc Salt Preservatives as Conductive Bases for Electrostatic Coatings on Wood—A. Venkateswaran and R.L. Desai, July, p. 39.
Amorphous Precipitated Silica Flatting Agents for Coatings—H.S. Ritter and H.J. Golden, May, p. 39.
Application of Critical Relative Humidity, An Evaporation Analog of Azeotropy, to the Drying of Water-Borne Coatings—P.W. Dillon, Nov., p. 38.
Applications of Appearance Measurements in the Coatings Industry—R.S. Hunter, Sept., p. 87.

C

Characterization of Epoxy Resin Systems Using Carbon-13 Fourier Transform NMR—C.F. Poranski and W.B. Moniz, Sept., p. 57.
Characterization of Polyphenylene Sulfide Coatings—H.W. Hill, Jr. and D.G. Brady, Apr., p. 33.
The Coatings Engineer, the Corporation and the University—H.L. Gerhart, Jan., p. 37.
Coatings From Vinyl Isocyanate Monomer—J.T.K. Woo and D.H. Heinert, Sept., p. 82.
The Coatings Industry—Some Future Perspectives—J.C. Dean, Dec., p. 49.
Coatings in Transition—T.J. Miranda, May, p. 66.
Color Measurements in the Iron Oxide Pigment Industry—R.C. Zeller, Nov., p. 91.
Color Trends Mirror Changing Lifestyles—B. Bender, Apr., p. 59.
Comparison of Tensile and Morphological Properties with Abrasion Resistance of Urethane Films—R.M. Evans and J. Fogel, Nov., p. 50.
Correlation of Laboratory to Natural Weathering—G.W. Grossman, Oct., p. 45.
Correlation of Weathering Results—M.L. Ellinger, Apr., p. 44.

D

Development of Water-Borne Vehicles for Use in Industrial Wood Coatings—J. Hortensius, Aug., p. 60.
Dispersion and Agglomeration: Effects on Coatings Performance—W.K. Asbeck, Dec., p. 59.

E

Economic and Technical Parameters of Pigment Dispersion—F.K. Daniel and R. Pineiro, Aug., p. 74.
Effect of Free Film Preparation Method on Physical Properties of Organic Coatings—M. Yaseen and H.E. Ashton, June, p. 50.
Effect of Molecular Weight of Short Oil Alkyd on Stability of Titanium Dioxide Dispersion, T. Nagata, June, p. 59.
Effect of Spectral Energy Distribution on Degradation of Organic Coatings—R.A. Kinmonth, Jr. and J.E. Norton, Oct., p. 37.
Electrodeposition of Epoxy and Acrylic Polymers—C. Laffargue and J. Lahaye, Nov., p. 85.
Electron Microscopy of Epoxy Latexes and Their Films—M.S. El-Aasser, J.W. Vanderhoff, S.C. Misra, and J.A. Manson, Dec., p. 71.
Epoxy Coal Tar Films: Membrane Properties and Film Deterioration—R. Fernandez-Prini and H. Corti, Sept., p. 62.
Exposure Evaluation: Quantification of Changes in Appearance of Pigmented Materials—R. Johnston-Feller and D. Osmer, Feb., p. 25.
Exposure Studies of Organic Yellow Pigments in Exterior Architectural Paints—A.M. Keay, June, p. 31.
Exterior Durability of Some Eastern Canadian Wood Species Treated With Zinc Salts—A.J. Dolenko and R.L. Desai, Dec., p. 79.

F

Formulation of Early Rust Resistant Acrylic Latex Maintenance Paints—M.J. Grourke, Sept., p. 69.
Future of Waste Disposal in the Paint and Coatings Industry—E.E. Baumhart, May, p. 70.

G

Guidelines for Exposure Testing of Exterior Paint—L.R. Freimiller, Oct., p. 80.

H

The Hazardous Substances Act — What It Means to You—A.F. Limberg, Sept., p. 92.
High Performance Isocyanate-Oxazolidine Coatings—W.D. Emmons, A. Mercurio, and S.N. Lewis, Aug., p. 65.

I

Identification of Microorganisms on Painted Panels at Puerto Rico—T.B. O'Neill and R.W. Drisko, Jan., p. 54.
Industry Standard for Precautionary Labeling—W.O. Manley, Apr., p. 56.
Inhibition of Yellowing in Linseed Oil Paint—H. Rakoff, F.L. Thomas, and L.E. Gast, May, p. 48.
Intumescent Ablators as Improved Thermal Protection Materials—P.M. Sawko and S.R. Riccitiello, Apr., p. 38.
Intumescent Coatings Based on 4,4'-Dinitrosulfanilide—P.M. Sawko and S.R. Riccitiello, Jan., p. 49.
Investigation of the Factors Involved in Mildew Growth—C-D-I-C Society for Coatings Technology, Mar., p. 38.

L

Latex Paint Mildewcides: Mercurials Vs. Nonmercurials—R.A. Smith and W.J. Rizoff, July, p. 51.

M

Mechanical Degradation of Cellulose Derivatives in Aqueous Solution by Ultrasonic Irradiation—T. Sato and D.E. Nalepa, June, p. 45.
Method for Measuring Chalk Adhesion of Latex Paints—O.E. Brown and K.L. Hoy, Feb., p. 37.
Method to Elucidate the Structure of Maleinized Linseed Oil—J.T.K. Woo and J.M. Evans, July, p. 42.

N

Need for Renewable Coatings Raw Materials and What Could Be Available Today—L.H. Princen, Dec., p. 88.
New Approach to Formulation of Water-Borne Coatings—W.J. Blank, Aug., p. 46.
New Techniques for Making Cellulose Derivatives—R.B. Seymour, Mar., p. 36.
Non-Chromate Pigments for Automative Finishes—S. Panush, June, p. 38.
Novel Ambient-Cured, Water-Borne, Acrylic-Epoxy Coatings—R.G. Young, Sept., p. 76.

O

Organizing for Action and Success—R.A. Roland, May, p. 21.

P

Painting Waste Loads Associated with Metal Finishing—G.E.F. Brewer, Feb., p. 48.
Polyesteramides from Linseed and Soybean Oils for Protective Coatings. Scanning Electron Microscope and Durability Studies—L.E. Gast, W.J. Schneider, and F.L. Baker, Jan., p. 57.

Q

Qualitative and Quantitative Analysis of UV Initiators in Cured Acrylic Coatings—J.T. Geary, Mar., p. 25.

R

Radical Anion Quenching by Emulsion Polymer Components—V.D. McGinniss and A.F. Kah, Nov., p. 61.
Reactions of Diethyl Malonate Blocked Cyclohexyl Isocyanate—Z.W. Wicks, Jr. and B.W. Kostyk, Nov., p. 77.
Relationship of Flash Points of Solvents, Resin Solutions, and Paints—Golden Gate Society for Coatings Technology, Apr., p. 52.
Report of the Research Director—R.R. Myers, Aug., p. 41.
Review of Underwater Cleaning Methods and Their Interaction on Navy Anti-Fouling Paint Systems—C.P. Cologer, G.S. Bohlander, and H.S. Preiser, May, p. 51.

S

Seasonal Variations—Nemesis of Repeatable/Reproducible Accelerated Outdoor Durability Tests?—J.L. Scott, Oct., p. 27.
Study of the Fluidized Bed Process for Treatment of Spent Blasting Abrasives—A. Ticker, H.S. Preiser, and J. Diliberti, Mar., p. 29.

T

Thermosetting High-Solids Coatings. Two Novel Types—D.V. Gibson and B. Leary, Feb., p. 53.

U

Use of Torsional Braid Analysis to Study Thermo-Oxidative Aging of Polymer Films—C.K. Schoff, Oct., p. 62.

W

Water Dilutable, Dispersible, and Emulsifiable Epoxy Resins—E.G. Bozzi and R.C. Nelson, May, p. 61.
Weathering Rack for Sealants—K.K. Karpati, K.R. Solvason, and P.J. Sereda, Mar. p. 44.

Author Index

A

ASBECK, W.K.—Dispersion and Agglomeration: Effects on Coatings Performance, Dec., p. 59.
ASHTON, H.E.—See Yaseen, M.

B

BAKER, F.L.—See Gast, L.E.
BAUMHART, E.E.—Future of Waste Disposal in the Paint and Coatings Industry, May, p. 70.
BENDER, B.—Color Trends Mirror Changing Lifestyles, Apr., p. 59.
BLANK, W.J.—New Approach to Formulation of Water-Borne Coatings, Aug., p. 46.
BOHLANDER, G.S.—See Cologer, C.P.
BOZZI, E.G. and NELSON, R.C.—Water Dilutable, Dispersible, and Emulsifiable Epoxy Resins, May, p. 61.
BRADY, D.G.—See Hill, H.W., Jr.
BREWER, G.E.F.—Painting Waste Loads Associated with Metal Finishing, Feb., p. 48.
BROWN, O.E. and HOY, K.L.—Method for Measuring Chalk Adhesion of Latex Paints, Feb., p. 37.

C

CHESS, J.A., HASTINGS, M.R., and PAOLINI, A., JR.—Accelerated Corrosion Testing, Oct., p. 55.
COLOGER, C.P., BOHLANDER, G.S., and PREISER, H.S.—Review of Underwater Cleaning Methods and Their Interaction on Navy Anti-Fouling Paint Systems, May, p. 51.
CORTI, H.—See Fernandez-Prini, R.

D

DANIEL, F.K. and PINEIRO, R.—Economic and Technical Parameters of Pigment Dispersion, Aug., p. 74.
DEAN, J.C.—The Coatings Industry—Some Future Perspectives, Dec., p. 49.
DESAI, R.L.—See Dolenko, A.J.; Venkateswaran, A.
DILIBERTI, J.—See Ticker, A.
DILLON, P.W.—Application of Critical Relative Humidity, an Evaporation Analog of Azeotropy, to the Drying of Water-Borne Coatings, Nov., p. 38.
DOLENKO, A.J. and DESAI, R.L.—Exterior Durability of Some Eastern Canadian Wood Species Treated With Zinc Salts, Dec., p. 79.
DRISKO, R.W.—See O'Neill, T.B.

E

EL-AASSER, M.S., VANDERHOFF, J.W., MISRA, S.C., and MANSON, J.A.—Electron Microscopy of Epoxy Latexes and Their Films, Dec., p. 71.
ELLINGER, M.L.—Correlation of Weathering Results, Apr., p. 44.
EMMONS, W.D., MERCURIO, A., and LEWIS, S.N.—High Performance Isocyanate-Oxazolidine Coatings, Aug., p. 65.
EVANS, J.M.—See Woo, J.T.K.
EVANS, R.M. and FOGEL, J.—Comparison of Tensile and Morphological Properties with Abrasion Resistance of Urethane Films, Nov., p. 50.

F

FERNANDEZ-PRINI, R. and CORTI, H.—Epoxy Coal Tar Films: Membrane Properties and Film Deterioration, Sept., p. 62.
FOGEL, J.—See Evans, R.M.
FREIMILLER, L.R.—Guidelines for Exposure Testing of Exterior Panels, Oct., p. 80.

G

GAST, L.E., SCHNEIDER, W.J., and BAKER, F.L.—Polyesteramides from Linseed and Soybean Oils for Protective Coatings. Scanning Electron Microscope and Durability Studies, Jan., p. 57.
GAST, L.E.—See Rakoff, H.
GEARY, J.T.—Qualitative and Quantitative Analysis of UV Initiators in Cured Acrylic Coatings, Mar., p. 25.
GERHART, H.L.—The Coatings Engineer, the Corporation and the University, Jan., p. 37.
GIBSON, D.V. and LEARY, B.—Thermosetting High-Solids Coatings. Two Novel Types, Feb., p. 53.
GOLDEN, H.J.—See Ritter, H.S.
GROSSMAN, G.W.—Correlation of Laboratory to Natural Weathering, Oct., p. 45.
GROURKE, M.J.—Formulation of Early Rust Resistant Acrylic Latex Maintenance Paints, Sept., p. 69.

H

HASTINGS, M.R.—See Chess, J.A.
HEINERT, D.H.—See Woo, J.T.K.
HILL, H.W., JR. and BRADY, D.G.—Characterization of Polyphenylene Sulfide Coatings, Apr., p. 33.
HORTENSIUS, J.—Development of Water-Borne Vehicles for Use in Industrial Wood Coatings, Aug., p. 60.
HOY, K.L.—See Brown, O.E.
HUNTER, R.S.—Applications of Appearance Measurements in the Coatings Industry, Sept., p. 87.

J

JOHNSTON-FELLER, R. and OSMER, D.—Exposure Evaluation: Quantification of Changes in Appearance of Pigmented Materials, Feb., p. 25.

K

KAH, A.F.—See McGinniss, V.D.
KARPATI, K.K., SOLVASON, K.R., and SEREDA, P.J.—Weathering Rack for Sealants, Mar., p. 44.
KEAY, A.M.—Exposure Studies of Organic Yellow Pigments in Exterior Architectural Paints, June, p. 31.
KINMONTH, R.A., JR. and NORTON, J.E.—Effect of Spectral Energy Distribution on Degradation of Organic Coatings, Oct., p. 37.
KOSTYK, B.W.—See Wicks, Z.W., Jr.

L

LAFFARGUE, C. and LAHAYE, J.—Electrodeposition of Epoxy and Acrylic Polymers, Nov., p. 85.
LAHAYE, J.—See Laffargue, C.
LEARY, B.—See Gibson, D.V.
LEWIS, S.N.—See Emmons, W.D.
LIMBERG, A.F.—The Hazardous Substances Act—What It Means to You, Sept., p. 92.

M

MANLEY, W.O.—An Industry Standard for Precautionary Labeling, Apr., p. 56.
MANSON, J.A.—See El-Aasser, M.S.
MCGINNISS, V.D. and KAH, A.F.—Radical Anion Quenching by Emulsion Polymer Components, Nov., p. 61.
MERCURIO, A.—See Emmons, W.D.
MIRANDA, T.J.—Coatings in Transition, May, p. 66.
MISRA, S.C.—See El-Aasser, M.S.
MONIZ, W.B.—See Poranski, C.F.
MYERS, R.R.—Report of the Research Director, Aug., p. 41.

N

NAGATA, T.—Effect of Molecular Weight of Short Oil Alkyd on Stability of Titanium Dioxide Dispersion, June, p. 59.
NALEPA, D.E.—See Sato, T.
NELSON, R.C.—See Bozzi, E.G.
NORTON, J.E.—See Kinmonth, R.A., Jr.

O

O'NEILL, T.B. and DRISKO, R.W.—Identification of Microorganisms on Painted Panels at Puerto Rico, Jan., p. 54.
OSMER, D.—See Johnston-Feller, R.

P

PANUSH, S.—Non-Chromate Pigments for Automotive Finishes, June, p. 38.
PAOLINI, A., JR.—See Chess, J.A.
PINEIRO, R.—See Daniel, F.K.
PORANSKI, C.F. and MONIZ, W.B.—Characterization of Epoxy Resin Systems Using Carbon-13 Fourier Transform NMR, Sept., p. 57.
PREISER, H.S.—See Ticker, A.; Cologer, C.P.
PRINCEN, L.H.—Need for Renewable Coatings Raw Materials and What Could Be Available Today, Dec., p. 88.

R

RAKOFF, H., THOMAS, F.L., and GAST, L.E.—Inhibition of Yellowing in Linseed Oil Paint, May, p. 48.
RICCITIELLO, S.R.—See Sawko, P.M.
RITTER, H.S. and GOLDEN, H.J.—Amorphous Precipitated Silica Flatting Agents for Coatings, May, p. 39.

RIZOFF, W.J.—See Smith, R.A.
ROLAND, R.A.—Organizing for Action and Success, May, p. 21.

S

SATO, T. and NALEPA, D.E.—Mechanical Degradation of Cellulose Derivatives in Aqueous Solution by Ultrasonic Irradiation, June, p. 45.
SAWKO, P.M. and RICCITIELLO, S.R.—Intumescent Coatings Based on 4,4'-Dinitrosulfanilide, Jan., p. 49.
SAWKO, P.M. and RICCITIELLO, S.R.—Intumescent Ablators as Improved Thermal Protection Materials, Apr., p. 38.
SCHNEIDER, W.J.—See Gast, L.E.
SCHOFF, C.K.—Use of Torsional Braid Analysis to Study Thermo-Oxidative Aging of Polymer Films, Oct., p. 62.
SCOTT, J.L.—Seasonal Variations—Nemesis of Repeatable/Reproducible Accelerated Outdoor Durability Tests?, Oct., p. 27.
SEREDA, P.J.—See Karpati, K.K.
SEYMOUR, R.B.—New Techniques for Making Cellulose Derivatives, Mar., p. 36.
SMITH, R.A. and RIZOFF, W.J.—Latex Paint Mildewcides: Mercurials Vs. Nonmercurials, July, p. 51.
SOLVASON, K.R.—See Karpati, K.K.
STIEG, F.B.—A B C's of White Hiding Power, July, p. 54.

T

THOMAS, F.L.—See Rakoff, H.

Proceedings Of the Paint Research Institute

No. 126—Report of the Research Director, Aug., p. 41.

TICKER, A., PREISER, H.S., and DILIBERTI, J.—Study of the Fluidized Bed Process for Treatment of Spent Blasting Abrasives, Mar., p. 29.

V

VANDERHOFF, J.W.—See El-Aasser, M.S.
VENKATESWARAN, A. and DESAI, R.L.—Ammoniacal Zinc Salt Preservatives as Conductive Bases for Electrostatic Coatings on Wood, July, p. 39.

W

WICKS, Z.W., JR. and KOSTYK, B.W.—Reactions of Diethyl Malonate Blocked Cyclohexyl Isocyanate, Nov., p. 77.
WOO, J.T.K. and EVANS, J.M.—Method to Elucidate the Structure of Maleinized Linseed Oil, July, p. 42.
WOO, J.T.K. and HEINERT, D.H.—Coatings From Vinyl Isocyanate Monomer, Sept., p. 82.

Y

YASEEN, M. and ASHTON, H.E.—Effect of Free Film Preparation Method on Physical Properties of Organic Coatings, June, p. 50.
YOUNG, R.G.—Novel Ambient-Cured, Water-Borne, Acrylic-Epoxy Coatings, Sept., p. 76.

Z

ZELLER, R.C.—Color Measurements in the Iron Oxide Pigment Industry, Nov., p. 91.

Constituent Society Papers

C-D-I-C — Investigation of the Factors Involved in Mildew Growth, Mar., p. 38

GOLDEN GATE—Relationship of Flash Points of Solvents, Resin Solutions, and Paints, Apr., p. 52.